

FORMPRO-ACID PH

Solution for sanitation of drinking water for poultry



Composition

Formic acid 20 %, lactic acid 20 %, acetic acid 10 %, ammonia 8 %, chelating vehicle.

Benefits

- Reducing the microorganism contamination in drinking water.
- Reducing the formation of scaling and biofilm in the water piping.
- Reducing the pathogenic contamination in the digestive tract of poultry, as *Escherichia coli*, *Clostridium* sp, *Salmonella* sp, *Pasteurella* sp or *Mycoplasma* sp.
- Improving of the performance of poultry.
- Favouring of the growth of the healthy intestinal flora.

Dose

Poultry: 0.5 – 1 mL/1 L drinking water.
pH (5%) 2.79 ± 0.02

Withdrawal period: zero days

Manufactured by:



SUPER'S DIANA, S.L.
Ctra. C-17, Km 17
08150 Parets del Valles
(Barcelona) SPAIN.
www.supersdiana.com

Storage conditions

Store in cool and dry place
Protect from direct sunlight
Shelf life after first opening: 3 months.

NET WT: 25 kg

Manufacturer's inscription No.: α-ESP08100107

Batch No and Expiry date: See package.



(FOR VETERINARY USE ONLY)

Exclusive Partner in Pakistan:



Olivia plaza, 1st floor, 42-A commercial
Area, block A phase 2 city housing,
Gujranwala 62250 - Pakistan
Ph: 055-4284177-88
www.qasint.com

میرف جانوروں کے استعمال کے لئے

KEEP OUT OF THE SIGHT AND REACH OF CHILDREN